



# Dehumidifier Product & Parts List



Healthy Humidity in every home.



E070 – 70 Pints Per Day*	
<b>E070</b>	Dehumidifier for spaces up to 2200 sq. ft.**
<b>5695</b>	Washable MERV 8 Filter
<b>5946</b>	MERV 11 Filter
<b>5694</b>	Replacement Fan With 6 MFD Capacitor
<b>5454</b>	Wire Harness
<b>5582</b>	Capacitor (6 MFD, 450VAC)

E080 – 80 Pints Per Day*	
<b>E080</b>	Dehumidifier for spaces up to 2600 sq. ft.**
<b>E080CS†</b>	Crawl space-ready E080 with warning light & drain tube
<b>E080H</b>	Hard-wired E080
<b>5881</b>	Washable MERV 8 Filter
<b>5947</b>	MERV 11 Filter
<b>5883</b>	Replacement Fan With 6 MFD Capacitor
<b>5884</b>	Wire Harness
<b>5582</b>	Capacitor (6 MFD, 450VAC)

E100 – 100 Pints Per Day*	
<b>E100</b>	Dehumidifier for spaces up to 3200 sq. ft.**
<b>E100CS†</b>	Crawl space-ready E100 with warning light & drain tube
<b>E100C</b>	E100 with casters
<b>E100H</b>	Hard-wired E100
<b>E100V</b>	Ventilating Dehumidifier (requires 8190FF)
<b>8190FF</b>	Ventilation plenum (requires E100V)
<b>5881</b>	Washable MERV 8 Filter
<b>5947</b>	MERV 11 Filter
<b>5886</b>	Replacement Fan With 12 MFD Capacitor
<b>5884</b>	Wire Harness
<b>5888</b>	Wire Harness (E100V Only)
<b>5468</b>	Capacitor (12 MFD, 450VAC)

E130 – 130 Pints Per Day*	
<b>E130</b>	Dehumidifier for spaces up to 4000 sq. ft.**
<b>E130C</b>	E130 with casters
<b>E130H</b>	Hard-wired E130
<b>5569</b>	Washable MERV 8 Filter
<b>7000010</b>	MERV 11 Filter
<b>5572</b>	Replacement Fan With 10 MFD Capacitor
<b>5454</b>	Wire Harness
<b>5573</b>	Capacitor (10 MFD, 250VAC)

## Best-In-Class Humidity Control



**Energy Efficient**

Removes moisture with less energy



**Expanded Capacity**

More pints per day



**Ease of Install**

Models designed for basement and crawl space applications

\* Rated capacity measured at 80°F/60% RH inlet air at 0.0 ESP.

\*\* Recommended crawl space sizing for dehumidifiers assumes the crawl space is sealed. Sizing also depends on crawl space location, soil, and the environmental conditions surrounding the space. Contact your AprilAire District Sales Manager for more information on whole-home dehumidifier sizing guidelines.

† Models with CS are optimized for crawl spaces and control to a “Dew Point” setting.



76



8620W



4856



5444



5445



5455



5822



5879



5546



5456



5457



5958



5427



5692



4751

## Accessories

<b>76</b>	Dehumidifier Control
<b>8620W</b>	Wi-Fi IAQ Thermostat
<b>4856</b>	Condensate Pump
<b>5822</b>	Hanging Kit
<b>5879</b>	Dehumidifier Risers (4-Pack)
<b>5546</b>	8" Living Space Duct Kit (25' of insulated flex duct with 2 quick install grilles and 2 reducers)
<b>5958</b>	Condensate Pump Bracket
<b>5427</b>	Crawl Space Alert Light

## Parts

<b>5444</b>	Internal Control Board
<b>5445</b>	User Interface Assembly
<b>5455</b>	Low Temperature Sensor
<b>5456</b>	High Temperature Sensor
<b>5457</b>	Leveling Foot
<b>5885</b>	Drain Insert
<b>5692</b>	10' Drain Tube with Fitting
<b>4751</b>	Duct Collars, 2-Pack